

What is rrc2040-2 battery pack?

The high performance RRC standard battery pack RRC2040-2 from the POWERPAQ product line with 10.80V/6.90Ah/74.52Wh. RRC2040-2 Standard battery pack RRC2040-2 (3S2P) with 10.80V /6.90Ah /74.52Wh Worldwide approvals and certification of safety standards No development costs, fast time-to-market

What is rrc2040-2?

RRC2040-2 The high performance RRC standard battery pack RRC2040-2 from the POWERPAQ product line with 10.80V/6.90Ah/74.52Wh. RRC2040-2

Does rrc20xx come with a battery charger?

Fits to all RRC20xx standard smart batteries. External power supply (worldwide use) for embedded battery charger RRC-PMM240 or for mobile devices. Included in RRC-SMB-UBC/MBC. PS65. 90.00W car adapter with USB charging port. Power supplying in cars and trucks for RRC-SMB-UBC, RRC-SMB-MBC, RRC-PMM240 or mobile devices.



-2 DS\_RRC2040-2\_J.docx Subject to technical changes without notice \* Released document ???  
Copy is not subject to revision service! 1 / 4  
RRC2040-2 Standard Battery Pack Li-Ion 10.80V /  
???6.80Ah / ???73.44Wh Features Worldwide  
approvals and certification of safety standards No  
development costs, fast time-to-market



Buy RRC2040-2 Standard battery pack (3S2P)  
10.80V / 6.90Ah / 74.52Wh from BATTER FLY  
Technical Support Secure Payments Fast  
Shipments. RRC2040-2 Standard battery pack  
(3S2P) 10.80V / 6.90Ah / 74.52Wh Features:-  
Worldwide approvals and certification of safety  
standards- No development costs, fast  
time-to-market- Smart batteries with numerous



Manual\_RRC2040-2\_B Subject to technical  
changes without notice \* Released document ???  
Copy is not subject to revision service! 1 / 28  
Instruction Manual RRC2040-2 Deutsch The  
battery must be recycled or disposed of properly.  
Operating Temperature: For charge: 0°C to +45°C  
For discharge: -20 °C to + 60 °C



Smart Battery Packs RRC Power Solutions Smart  
Battery Packs are off-the-shelf batteries with  
worldwide certifications and approvals. These smart  
battery packs are able to communicate via SMBus  
(SMART standard) / I 2 C and feature Lithium-Ion  
technology for medical, military, and industrial  
applications. These batteries from RRC Power  
Solutions are designed for use with ???



X-On Electronics has gained recognition as a prominent supplier of RRC2040-2 Battery Packs across the USA, India, Europe, Australia, and various other global locations. RRC2040-2 Battery Packs are a product manufactured by RRC Power Solutions. We provide cost-effective solutions for Battery Packs, ensuring timely deliveries around the world.



, NC2040HD31, NC2040, NC2040GS- 10.8V 3.1Ah (33.5Wh) Lithium Ion Battery Our RRC2040 battery crosses to NC2040HD31 is also known as N2040GS-GSSSI, NC2040. It offers 11.1V/3.0Ah (33Wh) of power - it is a Lithium Ion Battery. The RRC2040 is a compact standard smart battery offering high energy density f



-2 Standard battery pack (3S2P) 10.80V / 6.90Ah / 74.52Wh Features: - Worldwide approvals and certification of safety standards - No development costs, fast time-to-market - Smart batteries with numerous features according ???



Smart Battery Packs RRC Power Solutions Smart Battery Packs are off-the-shelf batteries with worldwide certifications and approvals. These smart battery packs are able to communicate via SMBus (SMART standard) / I 2 C and feature Lithium-Ion technology for medical, military, and industrial applications. These batteries from RRC Power Solutions are designed for use with ???




-2 DS\_RRC2040-2\_F Subject to technical changes without notice \* Released document ??? Copy is not subject to revision service! 1 / 4 RRC2040-2 Rechargeable Smart Battery Pack Li-Ion 10.80V / 6.90Ah / 74.52Wh P/N: 100559 Features Worldwide approvals and certification of safety standards No development costs, fast time -to market



GHAG Replacement Battery for RRC2040-2 6400MAH 72.0WH NOTE: Price is for one pc ===== 1.All Products have 13 Months Warranty, Any Problem You Can Send Back To Our USA Warehouse,We Renew It Or Refund You. 2.For Whatever Reason, Even You Just Do Not Want The Order Any More, Just Send Back Product To Our US Warehouse We Refund You At ???





Instruction Manual Battery Pack RRC2040-2 <10%  
10-25% 26-50% 51-75% 76-100% .

Manual\_RRC2040-2\_D Subject to technical  
changes without notice \* Released document ???

Copy is not subject to revision service! 3 / 29

Deutsch Bedienungsanleitung Diese  
Bedienungsanleitung enth?lt Hinweise zur  
Handhabung als auch wichtige Sicherheitshinweise.



-2 DS\_RRC2040-2\_I Subject to technical changes  
without notice \* Released document ??? Copy is not  
subject to revision service! 1 / 4 RRC2040-2

Standard Battery Pack Li-Ion 10.80V / ???6.80Ah /  
???73.44Wh Features Worldwide approvals and  
certification of safety standards No development  
costs, fast time-to-market




Octopart is the world's source for RRC2040-2  
availability, pricing, and technical specs and other  
electronic parts. Battery Packs 11.1V, 6.4Ah, 72Wh  
battery (3s2p) \$ 103.69. Add to BOM. Datasheet.  
Price and Stock. Authorized Distributors.  
Non-Authorized Stocking Distributors.



Instruction Manual Battery Pack RRC2040-2 .  
 Manual\_RRC2040-2\_G.docx Subject to technical  
 changes without notice \* Released document ???  
 Copy is not subject to revision service! 3 / 33  
 Deutsch Bedienungsanleitung Diese  
 Bedienungsanleitung enth?lt Hinweise zur  
 Handhabung als auch wichtige Sicherheitshinweise.  
 Lesen Sie die



TECHNICAL DATA  
 SHEET RRC2040-2DS\_RRC2040-2\_H Subject to  
 technical changes without notice \* Released  
 document ??? Copy is not subject to revision  
 service! 2 / 4 Specification General Delivery status  
 battery capacity < 30% Compliance information  
 Datasheet search, datasheets, Datasheet search  
 site for Electronic Components and  
 Semiconductors, ???



Acquista RRC2040-2 Pacco batterie standard  
 (3S2P) 10,80V / 6,90Ah / 74,52Wh da BATTER FLY  
 Supporto Tecnico Pagamenti Sicuri Spedizioni  
 Veloci. - Battery Life Management: protezione  
 contro l'invecchiamento rapido delle celle -  
 Maggiore protezione ESD fino a 8kV



Page 2 Instruction Manual Battery Pack RRC2040-2  
 <10% 10-25% 26-50% 51-75% 76-100% 2 / 29  
 Manual\_RRC2040-2\_D Subject to technical  
 changes without notice \* Released document ???  
 Copy is not subject to revision service! Page 3  
 Gas-Atmosph?re. Lagern Sie die Batterie mit einem  
 Ladezustand zwischen 40-60%.



Datasheet Standard Battery Pack Li-Ion 10.80V /  
 3.35Ah / 36.20Wh. devices in case of cell aging The  
 RRC2040 is in use in more than 50 2 / 4  
 Characteristics General Delivery status battery  
 capacity <30% Compliance information IEC 62133 /  
 CE / UL2054 / CAN ICES-003(B) / NMB-003(B) /  
 FCC / UKCA / PSE / KC / BSMI /



Buy New Genuine RRC2040-2 For Olympus Epoch  
 650 ultrasonic Flaw Detector Industrial Battery with  
 fast shipping and top-rated customer service.  
 Newegg shopping upgraded ??? Battery Type:  
 Li-ion Battery Voltage: 10.8V Battery Capacity:  
 72.36W h/6700mAh Battery Color: Black Replace  
 Part Numbers: RRC2040-2, 410030-04,  
 31NR19/66-2



The RRC2040-2 Battery is a Standard Battery Pack Manufactured by RRC Power Solutions. Designed in Germany and built in Taiwan, it offers World Wide Approvals and Certification and has SMBus or I2C Bus capabilities. The ???



[SBDS] - Smart Battery Data Specification (Revision 1.1, December 11, 1998) [SBCS] - Smart Battery Charger Specification (Revision 1.1, December 11, 1998) [SBSS] - Smart Battery Selector Specification (Revision 1.1, December 11, 1998) 1.4. Acronyms and Terminology The following acronyms and terms are commonly used throughout this document