




Designed for 180mm component reel storage and manufactured from conductive rack material. It will hold up to 23 reels; Stackable when empty; Strong and sturdy construction; Complies with ESD standard IEC 61340-5-3; Price quoted is per rack; Reel rack 039.100.180 Dimension: 362 x 188 x 110mm (L x W x H) Reel rack dividers 039.100.181



Model: RRT ESD Categories SMD Reel Storage, Trolleys Tag Quote Only. Data Sheets and Resources. Catalogue; Description Enquiry form Description. SMD Reel Storage Trolley (supplied without SMD Reel Racks) Used for storage and transportation of electronics component reels around the factory, from stores to the SMT lines.



SMT reel storage solutions protect electronic components while maximizing storage space using vertical storage carousels. Skip to content +1 (800) 803-1083. ESD Carts; Automated SMD Storage System; Wire Cable Reel Carousel; Page load link. Get In Touch. Search for: X



Providing ESD and physical protection for your reels. VWR offers ESD-safe boxes appropriate for the storage of electrostatic-discharge sensitive materials. For storing larger items, choose tote boxes of static-dissipative polypropylene plastic or conductive cardboard with impregnated liner. Boxes with individually sized drawers for storing small, static-sensitive electronics are also ???



ESD reel tote Conductive & ESD Containers \$ Flexcon's reel storage solutions are engineered to support the seamless operation of surface-mount technology (SMT) machines by ensuring a constant and organized supply of high-quality components. These solutions are vital for minimizing downtime and maximizing productivity on the manufacturing line.



This reel holder is designed to hold 178mm (7") Reels within an ESD Protected Area (EPA, it is made from a static dissipative impregnated corrugated material ! MENU. Toggle navigation. Products. ESD Bags & Labels. Static Shielding Bags & Film 37563 - Reel Storage Container with 15 Slots for 178mm Reels, 445mm x 210mm x 184mm



Static Dissipative Open Reel Storage Container. Lead-free RoHS compliant. For 7" Reels with 15 Slots. Size: 17.5" x 8.25" x 7.25" Per Packaging standard ANSI/ESD S541 Annex E.7 Tape and Reel "Devices (parts and components) can be fed to production equipment from carrier tape that is shaped to hold the device. The carrier tape is wound on a



Bent-Over Reel Storage Solutions. Durable Corstat with bent over partitions. Static safe no bagging. Adjust partitions for thickness of reels. 1" standard cell width. Fit 7" or 13" reels. Two ???




ESD Classification: Conductive with the use of conductive plastic split sleeves which are included with each self as well as conductive casters for mobile applications. Many configurations are workable in order for you to design the exact size and shelving best for your application. 3- 7??? Reel Storage Shelf for 7??? diameter (HR1836BR-7




Outer Dimensions (L" x W" x D"): 12 x 7-1/4 x 7-1/4
 Fits Reel Size: 7" Per Packaging standard
 ANSI/ESD S541 Annex E.7 Tape and Reel
 "Devices (parts and components) can be fed to production equipment from carrier tape that is shaped to hold the device. The carrier tape is wound on a reel similar to motion



DescriptionThe 37560 closed Reel Storage Container provides an ESD safe method for organizing and storing 13" reels. These reel totes feature plastic indexing ribs that prevent the reels from rolling around when stored cludes conductive plastic handles and removable lidsConductive plastic indexing ribs prevent the reels from rolling around when ???



ESD safe bins and drawers available from CCI.
 Conductive storage solutions from the experts in ESD packaging. MENU MENU. Shop. Express Products. Mailers; Totes; FIFO Reel Storage. Oldest reels used first; Line bent and welded; Durable but lightweight; Call For Quote: 763-537-2090. CCI P/N DESCRIPTION; FIFO-7: 7.375 x 7.375 x 8.5" (OD)



A range of ESD Safe Component Reel Storage Racks and Trolley solutions for handling SMD component reels in stores and transporting them to SMT production areas. ITECO ESD & Equipment Catalogue. Add to quote. SMD Reel Storage Rack. Add to quote. SMD Reel Storage Rack Wire Dividers 180-330mm



ESD storage systems; ESD trolleys; ESD drawers; ESD lighting; ESD task chairs; ESD accessories; Column2. Packing workspaces. Packing benches; Storage systems for packing; Reel rack ESD. Reel rack for SMD reels. Product facts. Product code: RR ESD-Z EAN-code: 6416763079322 Width mm: 960



DescriptionThe 37567 Reel Storage Container provides an ESD safe method for organizing and storing 13" reels pact for use in limited space areasConvenient for use on workstationReel Storage Containers are stackable and include identification labelsDissipative impregnated corrugated materialEach reel storage box has 5 cells for efficient storagePartitions are easily ???



An ESD Protected Area (EPA) is a defined space within which all surfaces, objects, people and ESD Sensitive Devices (ESDs) are kept at the same electrical potential. An EPA can be organised with Treston storage products. A modular anti-static ESD storage solution with user-oriented design and quality materials will work well in any space.



CCI is equipped to handle the design challenges of maximizing shelf space and storage and retrieval systems. We look at what is to be handled and how the system works, and then adapt a variety of ESD-safe materials and designs to match the requirements. Storage of components, PCBs, and reels are all common issues that require static-safe solutions.



Protektive Pak ESD / Anti-Static Reel Storage Container - 18 in Length - 2 in Wide - 37130
PROTEKTIVE PAK 37130. Protektive Pak ESD / Anti-Static Reel Storage Container - 18 in Length - 4 in Wide - 37132 PROTEKTIVE PAK 37132.



DescriptionExcellent for reel storage and handling. The totes are designed to hold 7" reels. Totes are made from reinforced conductive corrugated and have conductive plastic card guides attached that capture the reels for secure storage and handling. The totes come assembled with a cover and handles. MINIMUM QUANTITY ORDER = 25



New Equipment | SMD Reel Storage. Organizes Reel Storage Static Safe Efficient Inventory Use Corstat??? Reel Bins are built using Corstat??? bent-over wall construction for durability. CCI offers a 7" and 13" deep tote for ESD safe storage of reels. Each tote has 14 one inch cells. Par. Conductive Containers, Inc.



ESD reel storage containers provide a static safe method for storing and organizing 7", 13" and 15" reels. They are available in various styles ranging from tote boxes with plastic side ribs, to the FIFO vertical smd reel holder which is ideal for reel storage inventory management.



The Corstat(R) conductive Reel Storage system from GWP Conductive is a new and flexible bench mount storage system, catering for 7??? and 15??? component reels. There is a choice of materials available too, with Corstat(R) coated fibre board as standard, or conductive Corriplast(R) for clean room or high durability requirements.



SMD Reel Storage. our company produce esd boxes reel storage trolleys and trays 22 years, many diffetent sizes available external dimension inside dimension 160*100*70 CONCO Antistatic Co.,Ltd. CONCO Antistatic Co.,Ltd. CONCO is a professional manufacturer for esd smt pcb magazine racks, esd antistatic chairs, esd pcb carts, esd trays



ESD-safe SMT reel storage refers to the proper handling, storage, and transport of surface mount device (SMD) reels containing electronic components. This process involves the use of ESD-safe materials and practices to prevent ESD events and protect components during their journey from the manufacturer to the assembly line.



DescriptionThe 37562 closed Reel Storage Container provides an ESD safe method for organizing and storing 7" reels. These reel totes feature plastic indexing ribs that prevent the reels from rolling around when stored cludes conductive plastic handles and removable lidsConductive plastic indexing ribs prevent the reels from rolling around when ???



Outer Dimensions (L" x W" x D"): 20 x 7-1/4 x 7-1/4Fits Reel Size: 7" Per Packaging standard ANSI/ESD S541 Annex E.7 Tape and Reel "Devices (parts and components) can be fed to production equipment from carrier tape that is shaped to hold the device. The carrier tape is wound on a reel similar to motion