




The JA Solar JAM72D40 LB modules from the DeepBlue 4.0 series showcase cutting-edge solar technology, featuring high-efficiency Mono-PERC cells with a 16-busbar design to improve low-light performance and deliver 580???605W per module. The N-type double glass bifacial design maximizes light absorption on both sides, enhancing energy output.



The JA Solar JAM72D40 MB modules from the DeepBlue 4.0 series deliver 570???595W with high-efficiency Mono-PERC cells and 16 busbars. Featuring a bifacial double-glass structure and black frame, their half-cell design improves ???



The JA Solar JAM72D40-590/LB-ITS is a 590W n-type Double Glass Bifacial Solar Panel with a silver frame. Part of the Deep Blue 4.0 Series, the panel offers high power & efficiency, lower degradation and better low-light performance. ???



The JA Solar JAM72D40-590/LB-ITS is a 590W n-type Double Glass Bifacial Solar Panel with a silver frame. Part of the Deep Blue 4.0 Series, the panel offers high power & efficiency, lower degradation and better low-light performance. Panels in this range are protected by a 12 year product warranty and a 30 year linear power output warranty.




Discover the exceptional power range of 575-600W with the JAM72D40 LB solar panel at Guangheng Photovoltaic. This cutting-edge solar panel combines advanced technology and superior efficiency, ensuring maximum energy ???



The JA Solar JAM72D40 MB modules from the DeepBlue 4.0 series deliver 570???595W with high-efficiency Mono-PERC cells and 16 busbars. Featuring a bifacial double-glass structure and black frame, their half-cell design improves durability, minimizes shading losses, and maximizes energy output from both sides, combining top-tier performance with



Discover the exceptional power range of 575-600W with the JAM72D40 LB solar panel at Guangheng Photovoltaic. This cutting-edge solar panel combines advanced technology and superior efficiency, ensuring maximum energy production for your renewable energy projects.



JAM72D40 575-600/LB/1500V St?ubli
MC4-EVO2A/MC4-EVO2 QC Solar QC
4.10-351/QC 4.10-35 Country of Manufacturer
China/Vietnam JAM72D40-575/LB/1500V
JAM72D40-580/LB/1500V
JAM72D40-585/LB/1500V
JAM72D40-590/LB/1500V
JAM72D40-595/LB/1500V
JAM72D40-600/LB/1500V Measurement tolerance
at STC: Pmax ?3 %, Voc ?3% and Isc ?4%. ???