



What is datasafe HX 12hx540?

The DataSafe HX 12HX540 features AGM VRLA (Absorbed Glass Mat Valve Regulated Lead Acid) technology and optimized electrochemistry. It is only manufactured in EnerSys 9001:2008 registered production facilities to guarantee quality and safety standards.

Is datasafe HX 12hx540 battery safe?

This battery meets UL safety standards and is approved by the International Air Transport Authority (IATA). It is classified a high-performance model. The DataSafe HX 12HX540 features AGM VRLA (Absorbed Glass Mat Valve Regulated Lead Acid) technology and optimized electrochemistry.

Are datasafe HX top terminal batteries spillable?

Classified as non-spillable The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible Power Supply (UPS) markets. DataSafe HX top terminal batteries are the ideal source of power to protect vital systems.

How long can a datasafe HX battery last?


DataSafe® HX top terminal batteries can be safely recharged at high current rates. DataSafe HX top terminal batteries can be stored for up to six months at 77°F (25°C) before a freshening charge is required. At higher temperatures this time interval will be reduced. We understand that data centers are heavily reliant on batteries for backup power.

How long does the HX 12hx540 last?

It is only manufactured in EnerSys 9001:2008 registered production facilities to guarantee quality and safety standards. The HX 12HX540 is rated at 100% capacity at initial discharge and can be expected to last for 10 years. A cabinet and flame-retardant cover and case are available for separate purchase.

What is a datasafe HX monobloc?

apt of standby power. This technology provides the user with the freedom to use lead acid batteries in a wide range of applications. Built on advanced electrochemistry and backed by over 125 years experience in battery technology and manufacture, DataSafe HX monoblocs have been specifically developed for high discha



ENERSYS's 12 V, 123 Ah, DataSafe HX 12HX540-FR top terminated AGM valve-regulated lead acid battery. DataSafe HX top terminated batteries are the ideal source of power to protect vital systems. DataSafe HX top terminated batteries incorporate select design features that ???



The DataSafe(R) HX range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Uninterruptible Power Supply (UPS) and Information Technology markets. DataSafe HX batteries are the ideal source of power to protect vital systems and ???



The DataSafe HX 12HX540 is the most powerful model in EnerSys' HX line of UPS batteries. It exhibits minimal gas evolution makes it a popular choice for low-ventilation, high-rate applications and vital systems. This battery meets UL ???



The EnerSys DataSafe 12HX540 is a top terminated valve regulated lead acid battery that is designed for Information Technology & Uninterruptible Power Supply (UPS) applications. These VRLA batteries occupy less space than conventional standby power batteries.



The DataSafe (R) HX top terminal 12HX540-FR 12
123 540 13.3 338 6.8 173 10.7 272 106.0 48.1 4775
2.6 1 D 1.70 6.44 18.41 8.35 2 AM-HX-RS AA
March 2018. Battery Range Summary Constant
Power Discharge (Watts per Cell) to 1.75Vpc at
77°F (25°C) Constant Power Discharge (Watts per
Cell) to 1.70Vpc at 77°F (25°C)



DataSafe (R) HX batteries are 12HX540 10.0 5.0
16HX550F 12.0 6.0 16HX800F 20.0 10.0
16HX925F 23.0 11.5 DataSafe(R) HX Maximum
charging Max recommended rms Battery current (A)
value of the alternating Type component (A) Table 1
State of charge Voltage



Energys DataSafe 12HX540-FR Battery - 12V 540W. Call For Pricing 1-844-305-4567) Availability: In Stock. Current Stock: Wishlist. Share This Article. Overview; Product Description Energys DataSafe 12HX540-FR Battery - 12V 540W *Minimum Order Required On This Item *Ships Factory Direct - Non-Cancellable - Non-Returnable



EnerSys DataSafe 12HX540-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability



The DataSafe(R) HX top terminal battery range of Valve Regulated Lead Acid (VRLA) batteries has been designed to offer superior solutions for the Information Technology (IT) and Uninterruptible Power Supply (UPS) markets. DataSafe HX top terminal batteries are the ideal source of ???



DataSafe HX Battery Type 5 101520 30 45 60
Standby Time (Minutes) DataSafe HX+ Battery
Type 5 101520 30 45 60 Standby Time (Minutes)
12HX540 897.5674.8531.7438.5235.9186.2 326.3 .
Constant Power Discharge Performance Data
Constant Power (Watts per cell) to ???




EnerSys DataSafe HX Series EnerSys DataSafe HX
Series 12HX540FR 12 Volt / 123 Ah @8 Hr with
Recessed M6 Terminals. SKU: EN-12HX540RFR
Categories: 12HX540, Brands, Chemistry,
DataSafe, EnerSys, HX Series, ???




ENERSYS DATASAFE(R) 12HX540-FR
BATTERIES. Power Storage Solutions is a premier
platinum stocking Distributor for the Datasafe
12HX540 batteries. We maintain the batteries in a
climate controlled environment, then charge and
test each unit prior to shipment. The DataSafe(R)
HX top terminal battery range of Valve Regulated
Lead Acid (VRLA



View and Download DataSafe HX Series installation, operation and maintenance instructions online. Top Terminated Batteries 6 and 12 Volt. HX Series camera accessories pdf manual download. Also for: 12hx205, 12hx300, 12hx330, 12hx400, 12hx505, 12hx540, 6hx800.



DataSafe HX batteries" design maximizes reliability while ensuring superior performance and an excellent service life. Skip to content. 1.800.876.9373. Company Information. Search Search. Services. UPS and Data Center Services. DataSafe 12HX540-FR. EnerSys DataSafe 12HX540 batteries deliver superior performance, occupying less space than



. DataSafe HX , 6???12 16 V ???VRLA ,,???



EnerSys Delaware Inc. ("EnerSys") warrants its DataSafe(R) 12HX205-12HX540, 16HX, 12HX680 Valve Regulated Lead Acid (VRLA) UPS float service batteries, racks and cabinets against defective materials and workmanship for the full period as defined



The DataSafe HX 12HX50's front terminal scales to larger Kva systems, including 550, 800, and 925 watts per cell (WPC). All DataSafe HX batteries have a 10-year life expectancy and arrive at 100% initial battery capacity. Use in conjunction with a flame-repellant case and cover and a Front Terminal DataSafe cabinet for highest energy density.



Las baterías DataSafe HX, desarrolladas especialmente para aplicaciones con altas velocidades de descarga, están disponibles en monobloques de 6, 12 y 16 voltios con una gran densidad energética. La tecnología VRLA garantiza una alta densidad energética y elimina la necesidad de añadir agua, mientras que las placas de aleación de plomo-calcio-estaño favorecen una carga ???



EnerSys DataSafe 12HX540 (#5786) Add to quote.
SKU: 5786 Category: Batteries Brand: EnerSys
Voltage: 12. FEATURED. ABB 1600A ZTG;
Generac 150 kW SG150; Kohler 300 kW REZXC;
Cummins 60 kW C60N6 \$ 35,900.00; Cummins
2000 kW DQKAE \$ 617,000.00; Hipower 500 kW
HRVW 625 . Specifications ; Description ; Video ;
Downloads



EnerSys DataSafe 12HX540-FR valve regulated
lead acid batteries have been designed to offer
superior solutions for the Information Technology
and Uninterruptible Power Supply markets.
DataSafe HX batteries are the ideal ???




The DataSafe (R) HX top terminal 12HX540-FR 12
123 540 13.3 338 6.8 173 10.7 272 106.0 48.1 4775
2.6 1 D 1.70 6.44 18.41 8.35 2 AM-HX-RS AA
March 2018. Battery Range Summary Constant
Power Discharge (Watts per Cell) to 1.75Vpc at
77°F (25°C) Constant Power Discharge (Watts per
Cell) to 1.70Vpc at 77°F (25°C)



AM-HX-IOM AA December 2018 3 For cabinet installations, reference DataSafe (R) HX Battery Cabinet Systems Range Summary (AM-DSCAB-RS). If provided, intercell connector covers should be installed after completing the




DataSafe HX batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability while ensuring superior performance and an excellent service life. 12HX540 ???



Buy 12HX540-FR - ENERSYS - DATASAFE Valve-Regulated Lead Acid Battery. Newark Electronics offers fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support.



DataSafe HX Battery Type 5 101520 30 45 60
Standby Time (Minutes) DataSafe HX+ Battery
Type 5 101520 30 45 60 Standby Time (Minutes)
12HX540 897.5674.8531.7438.5235.9186.2 326.3 .
Constant Power Discharge Performance Data
Constant Power (Watts per cell) to ???



Energys Datasafe 12HX540 Features. Standard
housing material made from ABS resin with
UL94-V0 flame retardant option (FR SKU version)
Self-resealing and flame-arresting vents with V-0
flame retardant option (FR SKU version) Battery
containers and covers are hermetically sealed to
provide leak resistance;



BBM supplies the Energys Datasafe 12HX540 FR
Battery. Delivering 12V/123AH (540W per Cell) of
energy, this 12HX540 battery provides the utmost in
reliability and performance. Built specifically for the
Information Technology and Uninterruptible Power
Supply markets, this Energys Datasafe Battery, will
keep your critica




La tecnología TPPL proporciona a las baterías DataSafe HX+ una densidad energética excelente, una larga vida útil y una capacidad de carga rápida y flexible, todo ello consumiendo menos energía y con menores costes que las baterías de plomo-ácido. Solicite un presupuesto.



Original EnerSys DataSafe 12HX540
Flame-retardant battery. This is a high-rate valve regulated AGM battery designed specifically for UPS (uninterruptable power supply). It has a 10 year design life. Flame retardant case and cover to meet UL1778. This is a UL approved battery. The UL listing on the battery pack is MH12544.



Diseñadas para UPS y tecnologías de la información IT. Las baterías DataSafe(R) HX son baterías robustas, con tecnología AGM, y de voltaje regulada de ácido-plomo,, su rendimiento y calidad hace a esta batería soportar grandes demandas de potencia, cuentan con casco con certificación UL1778 (UL94) retardante a la flama, su tapa es herméticamente sellada, lo que la hace ???



BATERÍAS DATASAFE 12HX150R-FR 12V 38Ah
BATERÍAS PARA UPS APC RBC17 BATERIA
LEOCH LPX6-200 6V200AH Inicio Productos
Productos etiquetados "Baterías DataSafe
12HX540" Mostrando los 2 resultados. Ver barra
lateral. Mostrar 9 24 36 Comparar. Vista rápida.
Añadir a la lista de deseos. BATERÍAS
DATASAFE-12HX135RFR 12V28AH. COTIZAR