





Da das Seplos BMS immer mehr an Bekanntheit gewinnt wollte ich mit eurer Hilfe hier ein kleines FAQ einrichten. Ich werde alle Infos im ersten Artikel zusammenfassen. Sollte jemand Interesse an einem Seplos BMS oder Neey Balancer haben, kann sich gerne an mich wenden. Von der letzten Sammelbestellung sind noch welche ?ber. Thema f?r ???



My Seplos BMS V3 is not balancing. I can hear relays clicking, as if it was working. But no balance appears to be happening. If You see the BMS studio snap attached. the d_mV keeps going up. I've been through the wires but havent found any errors. Light on back is solid blue when switch is pressed.



Allerdings gehe ich davon aus, dass es an den BMS Einstellungen meines Seplos BMS V2 liegt. Die gleiche Anlagenkonstellation (Deye Sun 12K, 2 PV Strings und Seplos BMS verbunden ?ber CAN) bei meinem Nachbarn mit Seplos BMS V1 zeigt dieses Verhalten eben nicht. Da wird der Ladestrom noch vor dem Erreichen der 100% heruntergenommen.




Seplos BMS. joeghost (JoeGhost) 1. Mai 2024 um 18:13 1. Hallo, ich hatte vorher das alte 10e, jetzt 3 mal das 3er und mir f?llt immer mehr auf. 100a mit fw 1.3. Frage: intermittent charging bedeutet doch das das bms, sofern der Akku ?ber einem Schwellwert liegt, nicht geladen wird. Der Schwellwert heisst einmal scheinbar intermittent Power



Upgrade your battery system with the Seplos BMS 2.0. Experience enhanced performance, safety features, and connectivity for optimal energy management. + 8615079804024. sales@seplos . 0. Home Seplos 48V 200A 13S 14S NCM 15S 16S LFP Management System BMS 2.0 For Lifepo4 Lithium ion Battery. If you want wholesale price, please do not




Seplos Technology Is A Leading 48v 100a lifepo4 bms Factory with Reasonable Prices and Excellent One-stop Solution. +86 15079804024. sales@seplos 0. Home Products Battery Management System BMS 3.0 Seplos 48V 100A 13S 14S NCM 15S 16S LFP Battery Management System Smart BMS 3.0 For LifePO4 Battery



What You Can Get? 1/4 ?Seplos BMS 3.0-Type A? 1/4 ?48V 100A 16S) +LCD Display+BMS Wire harness+USB Adapter. Our worry-free Technology support, and friendly customer service ???Multifunctional???This battery management system(BMS) is equipped with high quality IC chip, high detection precision degree and stable performance.



Seplos is a professional manufacturer of seplos 48v 150a bms and 48v lifepo4 batteries in China. Focus On Innovation Based On Customer Needs. + 8615079804024. sales@seplos . 0. Home Products BMS BMS 3.0 Seplos 48V 150A 200A 7S 13S 14S NCM



Now I have two bms seplos, versions 10c and 10e. At first I had no way to coordinate my victron multiplus 2 and seplos bms version 10c. There was a lack of time and understanding of how they should work together. Then my Schottky diode stopped working, a known problem.



This Seplos BMS 2.0 is satisfied for 48V 150A charge-discharge current batteries. Models 7s, 13s, and 14s are for NCM battery, while 8s, 15s, and 16s are for LiFePO4 battery, do not mix use. The primary function of the battery management system is to prevent overcharging, over-discharging, overcurrent, and overheating of lithium batteries.



Download the BMS Specification sheet and discover its compatibility, performance, and safety features. + 8615079804024. sales@seplos . 0. Update Statement SEPLOS SMART BMS 3.0 16S 100A SPECIFICATION.pdf. 2023-07-27. BMS Specification. Downloads . SEPLOS 16S(LFP) 200A BMS SPECIFICATION V16.pdf. 2022-11-12. BMS ???



Moin ihr! leider hab ich viel zu sp?t angefangen mich mit dem Thema zu besch?ftigen, und jetzt brauch ich dringend ein BMS. Ich hatte die ganze Zeit ein SEPLOS geplant. Eckdaten: 48V 16S LiFePo 280Ah, zum Laden 7x Victron 100/20, aber 10 + 4 x "445W" Module, max Ladestrom also wohl eher 100A Entladen aktuell bis 2500W (also gut 50A), ???



SEPLOS BMS 3.0 CAN BUS 16S LiFePO4 48V
51,2 LFP mit Bluetooth LCD Display Batterie selber
bauen ab . 24,62 ??? XENES
DC-Spannungserkennung Steuerrelais
6-80V/48V60V Batterieladung und -entladung 11,50
??? * XENES LiFePO4 Passiv-Balancer 1S Modul
Zusatz ab . ???



Da ich selber gerade auf der Suche war m?chte ich
diesem Tr??t gerne die Info verpassen, dass f?r das
SEPLOS V3 BMS, auf dem PC/Laptop, nicht mehr
die Software BatteryMonitor zu nutzen ist, sondern
das neue BMS-Studio. ???



Auf das SEPLOS BMS kann ich per PC ?ber den
Batteriemonitor zugreifen. Im BMS ist das
Pylontech-Protokoll ausgew?hlt. CAN BUS
Verbindung vom WR zum BMS per Standard LAN
Kabel. Nach dem Batterieselbsttest erhalte ich
folgende Fehlermeldung: "Fehler 1Dx9F:
Kommunikationsfehler Batterie"



I've now connected all four FTDI adaptors (the two ET112 power meters and the two Seplos BMS batteries) to the one hub which is in turn connected to the Cerbo GX and it is all working without any glitch for several days. Before, I would randomly loose connection to either one of the Seplos BMS. The result is a much tidier and stable configuration.



It would be very difficult for the Seplos balancer to cause any trouble IMHO. Mostly because it is quite manual: you must press the power button to enable the balancer board. It sits in standby mode for up to 10 hours. If it does not receive a signal from the BMS to begin balancing in that time frame, it shuts itself off.



SEPLOS BMS 3.0 CAN BUS 16S LiFePO4 48V
51,2 LFP mit Bluetooth LCD Display Batterie selber
bauen ab . 24,62 ??? XENES
DC-Spannungserkennung Steuerrelais
6-80V/48V60V Batterieladung und -entladung 11,50
??? * XENES ???



1) BMS Seplos v m? nab?dce m? podpo??it tzv Projekt HomoDomo. Zde m?me funk??n? technick? ??e??en?, jako je komunikace s Monitoringem Arduino nebo i s Monitoringem-Pro. Zde m?me funk??n? technick? ??e??en?, jako je komunikace s Monitoringem Arduino nebo i s Monitoringem-Pro.



2. I use the BMS port on the inverter to connect to the CAN port on my Seplos BMS and it works fine. Again I use regular ethernet cables. These instructions can be found in both manuals and they work for me. 3. I use the two other RS485/2 ports on the BMS to connect to my laptop to configure/monitor the BMS. Either can be used.



Maximize the performance and lifespan of your LiFePO4 batteries with the Seplos LiFePO4 Battery BMS. Ensure safety, reliability, and optimal charging with our advanced battery management system. + 8615079804024. sales@seplos 0. Home Products BMS BMS 3.0 Seplos BMS 3.0 48V



Read data From Seplos BMS and send them to the Home Assistant. This is a bash script that read data from Seplos BMS via RS485 port and send the data to the Home Assistan via MQTT. Hardware requirements: Raspberry (i use an RPI4) USB to RS485 adapter; Seplos BMS; Home assitant with configured MQTT broker;




Seplos BMS 3.0 Mason 314Ah 16Kwh 48V Home Battery Storage Off Grid Solar Systems With EVE 314. For bulk orders, contact Seplos sales teams for better prices. US \$ 1,720.00 -US \$ 1,720.00 SEND INQUIRY. Model NO.? 1/4 ?Mason-280-3.0-GF280 Seplos Mason 280Ah 51.2V Lithium Iron Lifepo4 Solar Energy Storage Battery System With Ganfeng GF 280




Seplos 36S High Voltage BMS Battery Management System Main Control Box For Solar Storage Battery. SEND INQUIRY. Model NO.? 1/4 ?SP-HV-18S Seplos 18S High Voltage BMS Battery Management System BMU With Cooling Fan For Lifepo4 Battery. 1; Room 102, Building one, No. 147, Qingfeng Road, Qingxi Town, Dongguan, Guangdong Province, China



You get a lot of bits in the kit. To summarise you get the BMS, BMS Fuse, flexible metal plates for the BMS so it can reach the batteries, some heat sink blu tack stuff, tonnes of screws, nuts and bolts, bus bars (aluminium), front plate + and - connectors, EVA tape for between the batteries and for under the balancer and some hard fibre board



Add a description, image, and links to the seplos-bms topic page so that developers can more easily learn about it. Curate this topic Add this topic to your repo To associate your repository with the seplos-bms topic, visit your repo's landing page and select "manage topics"



Moin in die Runde! Ich verdrahte gerade 4x EEL Mars 16s mit Victron (3xMP2 5k) und einem Fronius 15k am AC Out, Kommunikation zwischen Seplos und Victron funktioniert, die 3 bekannten Werten werden von Victron fehlerfrei aus dem Seplos ?bernommen. soweit so gut??? Ich habe zwei Baustellen, die bekomme ich mit den bekannten Quellen einfach nicht ???