



Description (240 char.) ITYS-E 6000VA/4800W
230V 50Hz ON-LINE DOUBLE CONVERSION
(VFI), RS232 Effective date 2014-06-01 Country of
origin CN Length of the product unit [mm] 0.64
Width of the product unit [mm] 0.19 Depth of the
product unit [mm] 0.37 Weight [kg] 75 ETIM -
Electrical characteristics Input voltage [V] 160..300
Primary frequency [Hz]



???, itys e ???, ??? ???ups, ???



A - ITYS 070 A - ITYS 071 A Output connections >
IEC socket 320 (C13) > Universal socket > Indian
standard (BIS compliant) Some models may not be
available in your country ??? please check with your
local sales office. Certifications RoHS COMPLIANT
IS 16242 (Part 1)/ IEC 60240-1 R-41030651 ITYS E
Affordable and reliable protection from



0 Ingresso, uscita e morsettiera batteria esterna
batteria 2 Prese di uscita (IEC 320) Protezione
d'ingresso 4 Prese d'ingresso (IEC 320) 5 Morsetti
di uscita (1) Interfaccia a contatti puliti o adattatore
di rete WEB/SNMP. ITYS 1 kVA ITYS 2 kVA ITYS 3
kVA ITYS 6 10 kVA 3 2 1 13 14 5 11 ITYS 052 A 12
11 5 3 2 1 13 14 12 ITYS 053 A 11 5 3 2 13




ITYS-E 1kVA 230V ONLU S+ ITY-E-TW010B-U
ITYS-E 1kVA 230V ONLU S+ Strong points - Best
electrical protection - Robust and versatile General
characteristics - True online double conversion
technology (VFI) - Constant output voltage and
frequency regulation - Automatic bypass supplies
the loads in the event of overloads or faults -
Compact tower



P?gina 1 ITYS E UPS de 1 a 3 kVA - Mini Tower
Manual de instalaci?n y operaci?n; P?gina 2:
Certificado Y Condiciones De Garant?a Durante el
per?odo de garant?a, SOCOMEC se reserva el
derecho de decidir si el producto debe ser reparado
o si debe reemplazarlo piezas defectuosas con
piezas nuevas o piezas usadas que son
equivalentes a nuevas partes en t?rminos de ???



ITY-E 1kVA I 230V ONLU S+ ITY-E-TW010B-I
 ITYS-E 1kVA I 230V ONLU S+ Strong points - Best electrical protection - Robust and versatile General characteristics - True online double conversion technology (VFI) - Constant output voltage and frequency regulation - Automatic bypass supplies the loads in the event of overloads or faults - Compact



ITYS 8.5 - 10 kVA - 1/1 or 3/1 System features ???
 Embedded dry-contact interface. ??? Input mains switch breaker. ??? Connection for battery extension modules. ??? Power off the UPS remotely. ??? Internal temperature sensor. ITYS _181. EPS ITYS _175. EPS ITYS _199_ A. AI ITYS _187. EPS ITYS _183. EPS 4 5 3 11 12 5 11 13 12 ITYS _185. EPS 3 2 3



Socomec Group. Il Gruppo Socomec 100 anni di energia condivisa Quando l'energia conta, noi siamo al vostro fianco - La serie ITYS ES ? una gamma di UPS compatti e disponibili in modelli da 1000, 2000 e 3000 VA con tecnologia online a doppia conversione (VFI) ad ???



Votre interlocuteur Socomec vous enverra ensuite une proposition chiffr e dans les 24 heures.

S lectionnez votre ASI . Communication.

Communication ITYS Protection de l'alimentation fiable et polyvalente. FR 1.2 MB. Technical guide. ???



4 FR ITYS 6-10 kVA - 551431A - SOCOMEK CERTIFICAT ET CONDITIONS DE GARANTIE Cet  quipement SOCOMEK est garanti en ce qui concerne les d faux mat riel et tout vice de fabrication pendant une p riode de 12 mois   compter de la date




Socomec   1/4   . ITYS-E. - 110 kVA.



30 Jahre GAZ - Socomec - Partnerschaft 30 Jahre
Thiele - Socomec - Partnerschaft Efa: ON 2023
ITYS EM+. Sichere Stromversorgung f?r einphasige
Notfallsysteme - 2 und 6 kVA. EMergency CPSS
(Central Power Supply System) Katalogseiten
Technischer Support ???



Socomec Group Company profile - The ITYS ES
series is a range of compact UPS systems available
in 1000, 2000 and 3000 VA models with on-line
double conversion technology (VFI) with sinusoidal
absorption. (i.e. tropicalized boards). - In situations
where automatic power management procedures
are required, the communication software can



Protection de l'alimentation fiable et polyvalente -
de 1 ? 10 kVA. Haut niveau de protection et de
disponibilit? - La technologie << on line double
conversion >> (VFI) garantit un haut niveau de
disponibilit? et une protection totale des utilisations.



ITYS-E 1kVA 230V ONL Width of the packing unit [mm] 0.145 Depth of the packing unit [mm] 0.22
 Technical Characteristics Depth [mm] 285 Height 220 In/out 1/1 Output voltage 230 Rated frequency 50/50 Width 145 Sn [kVA] 1 Pn [kW] 0.8 Conf C1
 Input voltage 230 Rate (min) 1 Rate (max) 1 Life Time 03-05 Typical Backup Time [min] 8



Socomec Group. Company profile 100 years of shared energy News Our Expertise Power Conversion ITYS Protection de l'alimentation fiable et polyvalente. FR 1.2 MB. Catalogue - pages. ITYS Reliable and versatile power ???



Socomec Group. Company profile 100 years of shared energy What makes us different ITYS-E 10000VA/8000W 230V 50Hz WITH POWERFUL BATTERY CHARGER FOR LONG AUTONOMY FOR LONG ANTONOMY EXTERNAL BATTERY ON-LINE DOUBLE CONVERSION (VFI),RS232



Grupo Socomec. Um fabricante independente 100 anos a partilhar energia ITYS EM+. Alimenta??o de energia segura para sistemas de emerg?ncia monof?sicos - 2 e 6 kVA. - Interface LCD clara e ordenada para uma f?cil monitoriza??o da UPS, mesmo para utilizadores menos experientes.



Socomec Group. Company profile 100 years of shared energy What makes us different Our Expertise Power Conversion Power Monitoring ITYS - Reliable and versatile power protection from 1 to 10 kVA. EN 1.22 MB.



Description (240 char.) ITYS-E 3000VA/2400W 230V 50Hz ON-LINE DOUBLE CONVERSION (VFI), RS232 Effective date 2015-01-01 Country of origin CN ETIM - Electrical characteristics Input voltage [V] 160..300 Primary frequency [Hz] 45..65 Number of phases primary 1 Output voltage [V] 208..240 Secondary frequency [Hz] 47..53 Output effective power [W] 2400



View and Download socomec ITYS installation and operating manual online. 1 - 3 kVA. ITYS ups pdf manual download. Also for: lty3-tw010b, lty3-tw010lb, lty3-tw020b, lty3-tw020lb, lty3-tw030b, lty3-tw030lb, lty3-ex010hb, lty3-ex010b, lty3-ex030hb, lty3-ex030b.



Alertar, localizar e identificar El grupo Socomec. Grupo Socomec 100 años compartiendo energía ITYS - Protección de potencia fiable y versátil - 1-10 kVA. ES 1.23 MB. Catalogue - extract. Single-phase and three-phase UPS - PRIME ???